

英文論文

(原著、症例報告)

1. Itakura E, Huang RR, Wen DR, Paul E, Wunsch PH, Cochran AJ. Is sentinel node susceptibility to metastases influenced by IL-10 derived from melanoma and macrophages?: RT in situ PCR studies. *Modern Pathology* (in press).
2. Shibata S, Imafuku S, Tashiro A, Furue M, Toyoshima S, Gondo C. Leiomyoma of the nipple. *J Dermatol* (in press).
3. Takeuchi S, Yasukawa F, Furue M, Katz SI. Collared mice: A model to assess the effects of scratching. *J Dermatol Sci* 57(1):44-50, 2010.
4. Nishie H, Kato M, Furue M. Symptom flares of atopic dermatitis during the Japanese cedar pollen season--a Website questionnaire study. *Eur J Dermatol* 20(4):537-538, 2010.
5. Moroi M, Uchi S, Nakamura K, Sato S, Shimizu N, Fujii M, Kumagai T, Saito M, Uchiyama K, Watanabe T, Yamaguchi H, Yamamoto T, Takeuchi S, Furue M. Beneficial effect of a diet containing heat-killed *Lactobacillus paracasei* K71 on adult type atopic dermatitis. *J Dermatol* 38(2):131-139 (in press).
6. Nakahara T, Uchi H, Lesokhin AM, Avogadri F, Rizzuto GA, Hirschhorn-Cymerman D, Panageas KS, Merghoub T, Wolchok JD, Houghton AN. Cyclophosphamide enhances immunity by modulating the balance of dendritic cell subsets in lymphoid organs. *Blood* 115(22):4384-4392, 2010.
7. Nakahara T, Moroi Y, Tashiro A, Kiryu H, Furue M. The interaction of inflammatory cells in granuloma faciale. *Dermatology Reports* 2(2):45-46, 2010.
8. Hayashida S, Uchi H, Moroi Y, Furue M. Decrease in circulating Th17 cells correlates with increased levels of CCL17, IgE and eosinophils in atopic dermatitis. *J Dermatol Sci* (in press).
9. Hayashida S, Furusho N, Uchi H, Miyazaki S, Eiraku K, Gondo C, Tsuji G, Hachisuka J, Fukagawa S, Kido M, Nakahara T, Moroi Y, Hayashi J, Hagihara A, Furue M. Are lifetime prevalence of impetigo, molluscum and herpes infection really increased in children having atopic dermatitis? *J Dermatol Sci* 60(1):173-178, 2010.
10. Hayashida S, Uchi H, Takeuchi S, Esaki H, Moroi Y, Furue M. Significant correlation of serum IL-22 levels with CCL17 levels in atopic dermatitis. *J Dermatol Sci* (in press).
11. Kido M, Takeuchi S, Esaki H, Hayashida S, Furue M. Scratching behavior does not necessarily correlate with epidermal nerve fiber sprouting or inflammatory cell infiltration. *J Dermatol Sci* 58(2):130-135, 2010.

12. Kido M, Takeuchi S, Sugiyama N, Esaki H, Nakashima H, Yoshida H, Furue M. T cell-specific overexpression of interleukin-27 receptor alpha-subunit (WSX-1) prevents spontaneous skin inflammation in MRL/lpr mice. *Br J Dermatol* (in press).
13. Kato S, Kato T, Nishie H, Nishima S, Iwanaga T, Monj A, Nakano M, Takeshita H, Furue M. Successful treatment of chronic urticaria with a Japanese herbal medicine, yokukansan. *J Dermatol* 37(12):1066-1067, 2010.
14. Tashiro A, Takeuchi S, Nakahara T, Oba J, Tsujita J, Fukushi J, Kiryu H, Oda Y, Xie L, Yan X, Takahara M, Moroi Y, Furue M. Aberrant expression of CD10 in ground-glass-like multinucleated giant cells of multicentric reticulohistiocytosis. *J Dermatol* 37(11):995-997, 2010.
15. Hachisuka J, Furue H, Furue M, Yoshimura M. Responsiveness of C neurons in rat dorsal root ganglion to 5-hydroxytryptamine-induced pruritic stimuli in vivo. *J Neurophysiol* 104(1):271-279, 2010.
16. Tsuji G, Takahara M, Uchi H, Takeuchi S, Mitoma C, Moroi Y and Furue M. An environmental contaminant, benzo(a)pyrene, induces oxidative stress-mediated interleukin-8 production in human keratinocytes via the aryl hydrocarbon receptor signaling pathway. *J Dermatol Sci* (in press).
17. Oba J, Nakahara T, Hayashida S, Kido M, Xie L, Takahara M, Uchi H, Miyazaki S, Abe T, Hagihara A, Moroi Y, Furue M. Expression of CD10 predicts tumor progression and unfavorable prognosis in malignant melanoma. *J Am Acad Dermatol* (in press).
18. Masunaga K, Toyoda M, Kokuba H, Takahara M, Bungo O, Takashi H, Furue M. Mucous Membrane Pemphigoid with Antibodies to the  $\beta$ 3 Subunit of Laminin 332. *J Dermatol* (in press).
19. Nakamura A, Dainichi T, Tomoeda H, Moroi Y, Urabe K, Furue M, Uenotsuchi T. Phototherapy for mycosis fungoides in a patient with coincident systemic lupus erythematosus. *J Am Acad Dermatol* 62(6):1073-1074, 2010.
20. Chiba T, Uchi H, Tsuji G, Gondo H, Moroi Y, Furue M. Arylhydrocarbon receptor (AhR) activation in airway epithelial cells induces MUC5AC via reactive oxygen species (ROS) production. *Pulm Pharmacol Ther* 24(1):133-140, 2010
21. Chiba T, Takahara M, Nakahara T, Fukagawa S, Takei K, Shono A, Kiryu H, Moroi Y, Furue M. Cutaneous sarcoidosis clinically mimicking necrobiosis lipoidica in a patient with systemic sarcoidosis. *Annals of Dermatology* (in press).
22. Yamamura K, Takahara M, Masunaga k, Sawabe T, Kitano M, Mashino T, Furue M. Subcutaneous calcification of the lower legs in a patient with mixed connective tissue disease. *J Dermatol* (in press).
23. Yoshimura E, Kido M, Takahara M, Urabe K, Uchi H, Moroi Y, Furue M. Late onset

- suppurative lymphadenopathy induced by Bacille Calmette-Guérin (BCG) vaccination. *J Dermatol* (in press).
24. Dugu L, Hayashida S, Nakahara T, Xie L, Iwashita Y, Liu X, Uchi H, Tateuchi S, Takahara M, Oda Y, Moroi Y, Furue M. Aberrant expression of tenascin-c and neuronatin in malignant peripheral nerve sheath tumors. *Eur J Dermatol* 20(5):580-584, 2010.
  25. Dugu L, Takahara M, Tsuji G, Iwashita Y, Liu X, Furue M. Abundant expression of neuronatin in normal eccrine, apocrine and sebaceous glands and their neoplasms. *J Dermatol* 37(9):846-848, 2010.
  26. Qian Y, Takeuchi S, Chen SJ, Dugu L, Tsuji G, Xie L, Nakahara T, Moroi Y, Tu YT, Furue M. Nerve growth factor, brain-derived neurotrophic factor and their high-affinity receptors are overexpressed in extramammary Paget's disease. *J Cutan Pathol* 37(11):1150-1154, 2010.
  27. Xie L, Hayashida S, Tsuji G, Gondo H, Nakahara T, Takeuchi S, Takahara M, Shan B, Uchi H, Moroi Y, Furue M. Gelatinases may play an important role in the progression of extramammary Paget's disease. *Eur J Dermatol* 20(2):249-51, 2010.
  28. Xie L, Moroi Y, Hayashida S, Tsuji G, Takeuchi S, Shan B, Nakahara T, Uchi H, Takahara M, Furue M. Cathepsin K-upregulation in fibroblasts promotes matrigel invasive ability of squamous cell carcinoma cells via tumor-derived IL-1 $\alpha$ . *J Dermatol Sci* (in press).
  29. Xie L, Hayashida S, Yan X, Tsuji G, Nakahara T, Takeuchi S, Takahara M, Shan B, Uchi H, Moroi Y, Furue M. Overexpression of stromal cathepsin K expression correlates with invasiveness of extramammary Paget's disease. *Eur J Dermatol* 20(3):415-416, 2010.
  30. Xie L, Moroi Y, Tsuji G, Liu M, Hayashida S, Takahara M, Fukagawa S, Takeuchi S, Shan B, Nakahara T, Uchi H, Yokomizo T, Furue M. CD10-bearing fibroblast inhibits matrigel invasive potency of interleukin-1 $\alpha$ -producing squamous cell carcinoma by diminishing substance P levels in the tumor microenvironment. *Cancer Sci* 101(12):2570-2578, 2010.
  31. Xie L, Takahara M, Nakahara T, Oba J, Uchi H, Takeuchi S, Moroi Y, Furue M. CD10-bearing fibroblasts may inhibit skin inflammation by down-modulating substance P. *Arch Dermatol Res* (in press).
  32. Xie LN, Hayashida S, Furue M. Loss of Wnt-5a may dictate invasiveness of extramammary Paget's disease. *J Cutan Dermatol* (in press).
  33. Yan X, Takahara M, Dugu L, Xie L, Gondo C, Endo M, Oda Y, Nakahara T, Uchi H, Takeuchi S, Tu Y, Moroi Y, Furue M. Expression of cathepsin K in neurofibromatosis

- 1-associated cutaneous malignant peripheral nerve sheath tumors and neurofibromas. *J Dermatol Sci* 58(3):227-229, 2010.
34. Yan X, Takahara M, Xie L, Oda Y, Nakahara T, Uchi H, Takeuchi S, Tu Y, Moroi Y, Furue M. Stromal expression of cathepsin K in squamous cell carcinoma. *J Eur Acad Dermatol Venereol* (in press).
  35. Yan X, Takahara M, Xie L, Tu Y, Furue M. Cathepsin K expression: a useful marker for the differential diagnosis of dermatofibroma and dermatofibrosarcoma protuberans. *Histopathology* 57(3):486-488, 2010.
  36. Dainichi T, Hirakawa Y, Ishii N, Ohshima B, Kohda F, Takahara M, Moroi Y, Furue M, Yasumoto S, Hashimoto T. Mucous membrane pemphigoid with autoantibodies to all the laminin332 subunits and fatal outcome due to liver cirrhosis and hepatocellular carcinoma. *J Am Acad Dermatol* (in press).
  37. Matsumoto S, Kanagawa Y, Koike S, Akahane M, Uchi H, Shibata S, Furue M, Imamura T. Twenty-year changes of penta-chlorodibenzofuran (PeCDF) level and symptoms in Yusho patients, using association analysis. *BMC Research Notes* 3:129, 2010.
  38. Nagayama J, Todaka T, Hirakawa H, Hori T, Kajiwara J, Yoshimura T, Furue M. Polychlorinated dibenzofurans as a causal agent of fetal Yusho. *Chemosphere* 80(5):513-518, 2010.
  39. Nogami H, Iwasaki W, Abe T, Kimura Y, Onoe A, Higurashi E, Takeuchi S, Kido M, Furue M, Sawada R. Use of a simple arm-raising test with a portable laser Doppler blood flowmeter to detect dehydration. *Journal of Engineering in Medicine* (in press).
  40. Todaka T, Hirakawa H, Kajiwara J, Hori T, Tobiishi K, Yasutake D, Onozuka D, Sasaki S, Miyashita C, Yoshioka E, Yuasa M, Kishi R, Iida T, Furue M. Relationship between the concentrations of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and polychlorinated biphenyls in maternal blood and those in breast milk. *Chemosphere* 78(2):185-192, 2010.
  41. Yamada N, Yoshida Y, Ohsawa T, Takahara M, Morino S, Yamamoto O. A case of cutaneous protothecosis successfully treated with local thermal therapy as an adjunct to itraconazole therapy in an immunocompromised host. *Med Mycol* 48(4):643-646, 2010.
  42. Schmitt J, Williams H; HOME Development Group. Harmonizing Outcome Measures for Eczema (HOME). Report from the First International Consensus Meeting (HOME1), 24 July 2010, Munich, Germany. *Br J Dermatol* 163(6):1166-1168, 2010.

(総説)

1. Wen DR, Cochran AJ, Huang RR, Itakura E, Binder SW. Clinically relevant data from

sentinel lymph node biopsies of melanoma patients. Journal of Surgical Oncology  
(in press).

(著書)

なし

(雑文)

1. Itakura E. lebotomy in Japan. MLO-Medical Laboratory Observer 42 (9):6, 2010 with  
discussion]