

英文論文

(原著+症例報告)

1. Furue M, Yamazaki S, Jimbow K, Tsuchida T, Amagai M, Tanaka T, Matsunaga K, Muto M, Morita E, Akiyama M, Soma Y, Terui T, Manabe M. Prevalence of dermatological disorders in Japan: a nationwide, cross-sectional, seasonal, multicenter, hospital-based study. *J Dermatol* 38(4):310-320, 2011
2. Takeuchi S, Saeki H, Tokunaga S, Sugaya M, Ohmatsu H, Tsunemi Y, Torii H, Nakamura K, Kawakami T, Soma Y, Gytoku E, Hide M, Sasaki R, Ohya Y, Kido M, Furue M. A randomized, open-labeled, multicenter trial of topical tacrolimus for treatment of pruritus in patients with atopic dermatitis. *Ann Dermatol* (in press)
3. Itakura E, Huang RR, Wen DR, Paul E, Wunsch PH, Cochran AJ. IL-10 expression by primary tumor cells correlates with melanoma progression from radial to vertical growth phase and development of metastatic competence. *Mod Pathol* 24(6):801-809, 2011
4. Itakura E, Huang RR, Wen DR, Cochran AJ. "Stealth" melanoma cells in histology-negative sentinel lymph nodes. *Am J Surg Pathol* 35(11):1657-1665, 2011. (F1000 - Must Read)
5. Torisu-Itakura H, Schoellhammer HF, Sim M, Irie R, Hausmann S, Raum T, Baeuerle PA, Morton DL. Redirected Lysis of Human Melanoma Cells by a MCSP/CD3-bispecific BiTE Antibody that Engages Patient-derived T Cells. *J Immunother*. 34:597-605, 2011
6. Shibata S, Imafuku S, Tashiro A, Gondo CH, Toyoshima S, Furue M. Leiomyoma of the male nipple. *J Dermatol* 38(7):727-729, 2011
7. Uchi H, Hayashida S, Takahara M, Moroi Y, Furue M. Serum Levels of CC Chemokine Receptor 4 and CXCL12 Chemokine Receptor 3 Ligands in CD8+ Sézary Syndrome. *Acta Derm Venereol* (in press)
8. Kato S, Takahara M, Shono A, Moroi Y, Furue M. Generalized lichenoid dermatosis as a tumor-associated dermatome in a patient with inoperable esophageal cancer. *Eur J Dermatol* 21(4):601-602, 2011
9. Moroi M, Uchi S, Nakamura K, Sato S, Shimizu N, Fujii M, Kumagai T, Saito M, Uchiyama K, Watanabe T, Yamaguchi H, Yamamoto T, Takeuchi S, Furue M. Beneficial effect of a diet containing heat-killed *Lactobacillus paracasei* K71 on adult type atopic dermatitis. *J Dermatol* 38(2):131-139, 2011
10. Hayashida S, Uchi H, Takeuchi S, Esaki H, Moroi Y, Furue M. Significant correlation of serum IL-22 levels with CCL17 levels in atopic dermatitis. *J Dermatol Sci* 61(1):78-79, 2011
11. Hayashida S, Uchi H, Moroi Y, Furue M. Decrease in circulating Th17 cells correlates

- with increased levels of CCL17, IgE and eosinophils in atopic dermatitis. *J Dermatol Sci* 61(3):180–186, 2011
12. Kido M, Takeuchi S, Sugiyama N, Esaki H, Nakashima H, Yoshida H, Furue M. T cell-specific overexpression of interleukin-27 receptor α subunit (WSX-1) prevents spontaneous skin inflammation in MRL/lpr mice. *Br J Dermatol* 164(6):1214–1220, 2011
 13. Tsuji G, Takahara M, Uchi H, Takeuchi S, Mitoma C, Moroi Y, Furue M. An environmental contaminant, benzo(a)pyrene, induces oxidative stress-mediated interleukin-8 production in human keratinocytes via the aryl hydrocarbon receptor signaling pathway. *J Dermatol Sci* 62(1):42–49, 2011
 14. Tsuji G, Takahara M, Uchi H, Matsuda T, Chiba T, Takeuchi S, Yasukawa F, Moroi Y, Furue M. Identification of Ketoconazole as an AhR-Nrf2 Activator in Cultured Human Keratinocytes: The Basis of Its Anti-Inflammatory Effect. *J Invest Dermatol* 132(1):59–68, 2011
 15. Hachisuka J, Yunotani S, Shidahara S, Moroi Y, Furue M. Effect of adapalene on cetuximab-induced painful periungual inflammation. *J Am Acad Dermatol* 64(2):20–21, 2011
 16. Hachisuka J, Doi K, Moroi Y, Furue M. Successful treatment of epidermal growth factor receptor inhibitor-induced periungual inflammation with adapalene. *Case Rep Dermatol* 3(2):130–136, 2011
 17. Oba J, Nakahara T, Abe T, Hagihara A, Moroi Y, Furue M. Expression of c-Kit, p-ERK and cyclin D1 in malignant melanoma: an immunohistochemical study and analysis of prognostic value. *J Dermatol Sci* 62(2):116–123, 2011
 18. Oba J, Nakahara T, Hayashida S, Kido M, Xie L, Takahara M, Uchi H, Miyazaki S, Abe T, Hagihara A, Moroi Y, Furue M. Expression of CD10 predicts tumor progression and unfavorable prognosis in malignant melanoma. *J Am Acad Dermatol* 65(6):1152–1160, 2011
 19. Oba J, Moroi Y, Nakahara T, Abe T, Hagihara A, Furue M. Expression of milk fat globule epidermal growth factor-VIII may be an indicator of poor prognosis in malignant melanoma. *Br J Dermatol* 165(3):506–512, 2011
 20. Chiba T, Chihara J, Furue M. Role of the Arylhydrocarbon Receptor (AhR) in the Pathology of Asthma and COPD. *J Allergy* (in press).
 21. Chiba T, Uchi H, Tsuji G, Gondo H, Moroi Y, Furue M. Arylhydrocarbon receptor (AhR) activation in airway epithelial cells induces MUC5AC via reactive oxygen species (ROS) production. *Pulm Pharmacol Ther* 24(1):133–140, 2011
 22. Chiba T, Takahara M, Nakahara T, Fukagawa S, Takei K, Shono A, Kiryu H, Moroi

- Y, Furue M. Necrobiosis Lipoidica-like Lesions in Systemic Sarcoidosis. *Ann Dermatol* (in press)
23. Chiba T, Uchi H, Yasukawa F, Furue M. Role of the arylhydrocarbon receptor in lung disease. *Int Arch Allergy Immunol* 155(Suppl 1): 129–134, 2011
 24. Chiba T, Ueki S, Ito W, Kato H, Kamada R, Takeda M, Kayaba H, Furue M, Chihara J. The opposing role of two prostaglandin D2 receptors, DP and CRTH2, in human eosinophil migration. *Ann Allergy Asthma Immunol* 106: 511–517, 2011
 25. Kudo K, Nakahara T, Hachisuka J, Masuda T, Miake S, Moroi Y, Kiryu H, Furue M. Congenital benign mesenchymoma on the palm. *Eur J Dermatol* (in press)
 26. Masunaga K, Toyoda M, Kokuba H, Takahara M, Ohyama B, Hashimoto T, Furue M. Mucous membrane pemphigoid with antibodies to the $\beta 3$ subunit of laminin 332. *J Dermatol* 38(11):1082–1084, 2011
 27. Nakano M, Takeshita H, Hayashida S, Takahara M, Shimokama T, Kinjo M, Kiryu H, Furue M. Granulomatous reaction at the site of healed herpes zoster in a patient with adult T-cell leukemia/lymphoma. *J Dermatol* (in press)
 28. Saito T, Uenotsuchi T, Uchi H, Moroi Y, Furue M. Delayed systemic toxicity and extensive cutaneous necrosis due to suicidal injection of organophosphate pesticide. *J Dermatol* (in press)
 29. Kurihara Y, Nakahara T, Furue M. $\alpha V \beta 3$ -integrin expression through ERK activation mediates cell attachment and is necessary for production of tumor necrosis factor alpha in monocytic THP-1 cells stimulated by phorbol myristate acetate. *Cell Immunol* 270(1):25–31, 2011.
 30. Kurihara Y, Kokuba H, Furue M. Case of diabetic scleredema: Diagnostic value of magnetic resonance imaging. *J Dermatol* 38(7):693–696, 2011
 31. Yamamura K, Takahara M, Masunaga K, Sawabe T, Kitano M, Mashino T, Furue M. Subcutaneous calcification of the lower legs in a patient with mixed connective tissue disease. *J Dermatol* 38(8):791–793, 2011
 32. Mizote Y, Nakahara T, Mitoma C, Nakao M, Mitoma H, Moroi Y, Furue M. Differential effect of etanercept on cutaneous and joint lesions in psoriatic arthritis. *J Dermatol* (in press)
 33. Sugiyama A, Takeuchi S, Fukagawa S, Moroi Y, Yoshimoto G, Miyamoto T, Akashi K, Furue M. Case of insulin edema occurred during intensive insulin therapy after bone marrow transplantation *J Dermatol* (in press)
 34. Kuba Y, Terao H, Takahara M, Kiryu H, Furue M. Case of proximal calciphylaxis with protein S deficiency, successfully treated with multimodality therapy. *J Dermatol* (in press)

35. Yoshimura E, Kido M, Takahara M, Urabe K, Uchi H, Moroi Y, Furue M. Late onset suppurative lymphadenopathy induced by bacillus Calmette-Gue´ rin (BCG) vaccination. *J Dermatol* 38(9):933–935, 2011
36. Mizote Y, Nakahara T, Mitoma C, Nakao M, Mitoma H, Moroi Y, Furue M. Differential effect of etanercept on cutaneous and joint lesions in psoriatic arthritis. *J Dermatol* (in press)
37. Ito T, Moroi Y, Oba J, Nakahara T, Takeuchi S, Uchi H, Takahara M, Masuda T, Furue M. The prognostic value of a reverse transcriptase-PCR assay of sentinel lymph node biopsy for patients with cutaneous melanoma: a single-center analysis in Japan. *Melanoma Res* (in press)
38. Ito T, Nakahara T, Takeuchi S, Uchi H, Takahara M, Masuda T, Moroi Y, Furue M. Four cases of successfully treated chronic expanding soft tissue hematoma. *Annals of Dermatology* (in press)
39. Chang WC, Lee CH, Hirota T, Wang LF, Doi S, Miyatake A, Enomoto T, Tomita K, Sakashita M, Yamada T, Fujieda S, Ebe K, Saeki H, Takeuchi S, Furue M, Chen WC, Chiu YC, Chang WP, Hong1 CH, His E, Juo SH, Yu HS, Nakamura Y and Tamari M. ORAI1 genetic polymorphisms associated with the susceptibility of atopic dermatitis in Japanese and Taiwanese populations. *PLoS One* (in press)
40. Qian Y, Takeuchi S, Dugu L, Tsuji G, Xie L, Nakahara T, Takahara M, Moroi Y, Tu YT, Furue M. Hematopoietic progenitor kinase 1, mitogen-activated protein/extracellular signal-related protein kinase kinase1 and phospho-mitogen-activated protein kinase kinase 4 are overexpressed in extramammary Paget' s disease. *Am J Dermatopathol* 33(7):681–686, 2011
41. Xie L, Moroi Y, Hayashida S, Tsuji G, Takeuchi S, Shan B, Nakahara T, Uchi H, Takahara M, Furue M. Cathepsin K-upregulation in fibroblasts promotes matrigel invasive ability of squamous cell carcinoma cells via tumor-derived IL-1 α . *J Dermatol Sci* 61(1):45–50, 2011
42. Xie L, Moroi Y, Takahara M, Tsuji G, Oba J, Hayashida S, Takeuchi S, Shan B, Uchi H, Furue M. CD10 expressed by fibroblasts and melanoma cells degrades endothelin-1 secreted by human keratinocytes. *Eur J Dermatol* 21(4):505–509, 2011
43. Xie L, Hayashida S, Furue M. Loss of Wnt-5 α is associated with an invasive phenotype of extramammary Paget' s disease. *J Cutan Pathol* 38(7):576–580, 2011
44. Xie L, Takahara M, Nakahara T, Oba J, Uchi H, Takeuchi S, Moroi Y, Furue M. CD10-bearing fibroblasts may inhibit skin inflammation by down-modulating substance P. *Arch Dermatol Res* 303(1):49–55, 2011.
45. Yan X, Takahara M, Xie L, Oda Y, Nakahara T, Uchi H, Takeuchi S, Tu Y, Moroi Y,

- Furue M. Stromal expression of cathepsin K in squamous cell carcinoma. *J Eur Acad Dermatol Venereol* 25(3):362–365, 2011.
46. Yan X, Takahara M, Xie L, Gondo C, Setsu N, Oda Y, Takeuchi S, Tu Y, Moroi Y, Furue M. Arginine metabolism in soft tissue sarcoma. *J Dermatol Sci*. 61(3):211–215, 2011
 47. Chen H, Takahara M, Xie L, Takeuchi S, Tu Y, Nakahara T, Uchi H, Moroi Y, Furue M. Lipoxin A(4), a potential anti-inflammatory drug targeting the skin. *J Dermatol Sci* 62(1):67–69, 2011
 48. Chen H, Takahara M, Oba J, Xie L, Chiba T, Takeuchi S, Tu Y, Nakahara T, Uchi H, Moroi Y, Furue M. Clinicopathologic and prognostic significance of SATB1 in cutaneous malignant melanoma. *J Dermatol Sci* 64(1):39–44, 2011
 49. Aoki T, Yoshida H, Furue M, Tagami H, Kaneko F, Ohtsuka F, Nishioka K, Toda K, Mizoguchi M, Ichihashi M, Ueki H, Nakayama H, Ikezawa Z, Takigawa M, Arata J, Koro O, Yamamoto S, Tanaka Y, Ishigaki M, Kusunoki T, Yoshikawa K. English version of the concluding report published in 2001 by the Advisory Committee on Atopic Dermatitis Severity Classification Criteria of the Japanese Dermatological Association. *J Dermatol* 38(7):632–644, 2011
 50. Dainichi T, Hirakawa Y, Ishii N, Ohyama B, Kohda F, Takahara M, Moroi Y, Furue M, Yasumoto S, Hashimoto T. Mucous membrane pemphigoid with autoantibodies to all the laminin 332 subunits and fatal outcome resulting from liver cirrhosis and hepatocellular carcinoma. *J Am Acad Dermatol* 64(6):1199–1200, 2011
 51. Hirota T, Saeki H, Tomita K, Tanaka S, Ebe K, Sakashita M, Yamada T, Fujieda S, Miyatake A, Doi S, Enomoto T, Hizawa N, Sakamoto T, Masuko H, Sasaki T, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Noguchi E, Kamatani N, Nakamura Y, Kubo M, Tamari M. Variants of C-C Motif Chemokine 22 (CCL22) Are Associated with Susceptibility to Atopic Dermatitis: Case-Control Studies. *PLoS One* 6(11):e26987, 2011
 52. Nakayama M, Izumaru K, Nagata M, Ikeda H, Nishida K, Hasegawa E, Ohta Y, Tsuchihashi T, Urabe K. The effect of low-dose corticosteroids on short- and long-term renal outcome in patients with cholesterol crystal embolism. *Ren Fail* 33(3):298–306, 2011
 53. Miyamoto K, Inoue Y, Hsueh K, Liang Z, Yan X, Yoshii T, Furue M. Characterization of comprehensive appearances of skin ageing: An 11-year longitudinal study on facial skin ageing in Japanese females at Akita. *J Dermatol Sci* 64(3):229–236, 2011
 54. Matsui Y, Furue M, Sanada H, Tachibana T, Nakayama T, Sugama J, Furuta K, Tachi M, Tokunaga K, Miyachi Y. Development of the DESIGN-R with an observational study: an absolute evaluation tool for monitoring pressure ulcer wound healing. *Wound Repair Regen* 19(3):309–315, 2011

55. Reich A, Heisig M, Phan NQ, Taneda K, Takamori K, Takeuchi S, Furue M, Blome C, Augustin M, Ständer S, Szepietowski JC. Visual Analogue Scale: Evaluation of the Instrument for the Assessment of Pruritus. *Acta Derm Venereol* (in press)
56. Tsukimori K, Uchi H, Mitoma C, Yasukawa F, Fukushima K, Todaka T, Kajiwara J, Yoshimura T, Hirata T, Wake N, Furue M. Comparison of the concentrations of polychlorinated biphenyls and dioxins in mothers affected by the Yusho incident and their children. *Chemosphere* 84(7):928–935, 2011
57. Tsukimori K, Yasukawa F, Uchi H, Morokuma S, Furue M. Sex ratio in two generations of offspring born to Yusho patients exposed to polychlorinated biphenyls and dibenzofurans. *Epidemiology* (in press)
58. Tsukimori K, Uchi H, Mitoma C, Yasukawa F, Chiba T, Todaka T, Kajiwara J, Yoshimura T, Hirata T, Fukushima K, Wake N, Furue M. Maternal exposure to high levels of dioxins in relation to birth weight in women affected by Yusho disease. *Environ Int* 38(1):79–86, 2011
59. Terada Y, Nagata M, Murayama N, Nanko H, Furue M. Clinical comparison of human and canine atopic dermatitis using human diagnostic criteria (Japanese Dermatological Association, 2009): Proposal of provisional diagnostic criteria for canine atopic dermatitis. *J Dermatol* 38(8):784–790, 2011
60. Todaka T, Hirakawa H, Kajiwara J, Onozuka D, Sasaki S, Miyashita C, Yoshioka E, Yuasa M, Kishi R, Iida T, Uchi H, Furue M. Concentrations of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and polychlorinated biphenyls in blood and breast milk collected from pregnant women in Sapporo City, Japan. *Chemosphere* 85(11):1694–1700, 2011
61. Torii H, Nakagawa H; Japanese Infliximab Study Investigators. Long-term study of infliximab in Japanese patients with plaque psoriasis, psoriatic arthritis, pustular psoriasis and psoriatic erythroderma. *J Dermatol* 38(4):321–334, 2011
62. Sanada H, Iizaka S, Matsui Y, Furue M, Tachibana T, Nakayama T, Sugama J, Furuta K, Tachi M, Tokunaga K, Miyachi Y; The Scientific Education Committee of the Japanese Society of Pressure Ulcers. Clinical wound assessment using DESIGN-R total score can predict pressure ulcer healing: Pooled analysis from two multicenter cohort studies. *Wound Repair Regen* 19(5):559–567, 2011
63. Seibert D, Hong CH, Takeuchi F, Olsen C, Hathaway O, Moss J, Darling TN. Recognition of tuberous sclerosis in adult women: delayed presentation with life-threatening consequences. *Ann Intern Med* 154(12):806–813. W-294, 2011
64. Onozuka D, Hirata T, Furue M. Relative survival after exposure to polychlorinated biphenyls and dioxins: a follow-up of Japanese patients affected in the Yusho

- incident. *Sci Total Environ* 409(12):2361–2365, 2011
65. Yoshida H, Aoki T, Furue M, Tagami H, Kaneko F, Ohtsuka F, Nishioka K, Toda K, Mizoguchi M, Nakayama H, Ikezawa Z, Takigawa M, Arata J, Yamamoto S, Tanaka Y, Ishigaki M, Kusunoki T, Yoshikawa K. English version of the interim report published in 1998 by the members of the Advisory Committee on Atopic Dermatitis Severity Classification Criteria of the Japanese Dermatological Association. *J Dermatol* 38(7):625–631, 2011
66. Iizaka S, Sanada H, Matsui Y, Furue M, Tachibana T, Nakayama T, Sugama J, Furuta K, Tachi M, Tokunaga K, Miyachi Y. Serum albumin level is a limited nutritional marker for predicting wound healing in patients with pressure ulcer: Two multicenter prospective cohort studies. *Clin Nutr* 30(6):738–745, 2011

(総説)

1. Furue M, Chiba T, Takeuchi S. Current status of atopic dermatitis in Japan. *Asia Pac Allergy* 1(2):64–72, 2011
2. Furue M, Epithelial tumor, invasion and stroma. *Ann Dermatol* 23(2):125–131, 2011

(著書)

1. Itakura E. The role of cytokines and chemokines in the development of basal cell carcinoma. In: Madan V (Ed), *Basal cell carcinoma*, INTECH (in press)

(雑文)

1. Itakura E, Uhara H. Malignant melanoma in *Star of the Giants (Kyojin no Hoshi)*. *Lancet Oncol* 12(6):525, 2011